

## ATTACHMENT A

## **Claims Listing**

Following herewith is a complete listing of all claims including a marked-up version of currently amended claims.

- 1. (Currently Amended) A process for the concentration of a diluted solution containing a solvent, comprising a distillation step in a distillation column followed by an evaporation step in a falling film evaporator, in which the distillation column and the falling film evaporator constitute two distinct pieces of equipment which are separated by a distributor, and in which the distillation column is assembled on top of the falling film evaporator, said process comprising the following steps:
  - (a) feeding the diluted solution at least at one point along thea distillation column;
  - (b) distilling the diluted solution in the distillation column so as to obtain a low boiling vapor fraction of the solution at the top of the distillation column and a high boiling liquid fraction of the solution at the bottom of the distillation column;
  - (c) transferring, through thea first distributor, the high boiling liquid fraction of the solution from the bottom of the distillation column into thea falling film evaporator;
  - (d) concentrating the high boiling liquid fraction of the solution in the falling film evaporator by evaporation of at least part of the solvent; and
  - (e) collecting thea concentrated solution at the bottom of the falling film evaporator-; and

	<u>(f)</u>	transferring the concentrated solution from the falling film evaporator
		through a second distributor into a cooler where it is cooled.
	2-5.	(Canceled).
	6.	(Previously presented) The process according to claim 1, wherein the
distillation is carried out under a maximum pressure of 10 Torr.		
	7.	(Canceled).
	8.	(Canceled).
	9.	(Previously presented) The process according to claim 1, in which the
concentrated solution is a concentrated aqueous hydrogen peroxide solution.		
	10.	(Previously presented) The process according to claim 9, in which the
concentrated solution leaving the falling film evaporator contains at least 90% w/w		
hydrogen peroxide.		
	11.	(Canceled).
	12.	(Previously presented) The process according to claim 1, in which the
axes of the distillation column and the falling film evaporator are aligned.		

- 13. (Previously presented) The process according to claim 1, in which the distributor has a cross-sectional area at its narrowest point which is smaller than the cross-sectional area of the distillation column.
- 14. (Previously presented) The process according to claim 1, in which the distillation column and the falling film evaporator are assembled in a way that allows the high boiling liquid fraction to flow from the distillation column to the falling film evaporator through the distributor under the action of gravity alone.
- 15. (Previously presented) The process according to claim 1, in which the falling film evaporator consists of a single tube surrounded by a jacket and hot water is circulating in the jacket to heat the tube.
- 16. (Previously presented) The process according to claim 15, in which the hot water in the jacket and the high boiling liquid fraction in the tube are flowing down concurrently.